

Cascade CC 72- Vitreous China Rimless One-Piece Compact Elongated Toilet with Skirted Trapway Floor Outlet, 1.28 gpf (4.8 lpf) with Seat







DIMENSIONS

Length	27-9/16"
Width	14-9/16"
Height	29-1/2"
Seat Height	16-7/16"

COLORS AND FINISHES

Gloss White

CERTIFICATIONS & APPROVALS



Rimless



VORTEX FLOW



Easy to Install
Uninstall Lid



Soft Close Lid



Quiet Flush



High Quality
Glaze

FEATURES

Featured Tech
Flushing system
Nominal water consumption
Material
Rough-in
Flush button type
Bowl Shape
Seat height
Lid Shape
Trapway size

Rimless
Single Nozzle Vortex, Dual flush
1.28 GPF Full flush/ 1.08 GPF Half flush
Vitreous china
S-Trap 305mm
Buttons
Compact elongated
16-7/16"
Compact elongated, Thermoplastic or PP, soft close, quick release
1-3/4"

Images are for illustrative purposes only.

COMPATIBLE WITH



Soft Close Quick-Release,
Easy-Clean lid for
Cascade 72 Toilets



Dual Flush Buttons



R&T INFILL VALVE for
Cascade Toilet



R&T FLUSH VALVE, DUAL
FLUSH for
Cascade Toilet



TECHNICAL REQUIREMENTS

Toilet type	One-piece Toilet
Installation Type	Floor-mounted
Water surface size	8-1/8" x 5-1/2"
Min static pressure	20 psi
Max static pressure	80 psi
Min flowing pressure	25 psi
Min flow rate	0.43 gpm
Water Supply Location	~8" from floor to inlet, and 6"– 8" offset from centerline

STANDARDS

ASME A112.19.2/CSA B45.1
 U.S. EPA WaterSense® Specification for HETs (High-Efficiency Toilets)
 U.S. Department of Energy (DOE) Energy Policy Act 1992
 ADA / ICC ANSI A117.1 (when installed per code)
 Certified by IAPMO R&T
 California Energy Commission (CEC)
 ICC/ANSI A117.1
 CSA B651

KEY ADVANTAGES

- **High-Efficiency 1.28 GPF Flushing System**
Consumes only 1.28 gallons per flush, fully compliant with the EPA WaterSense® and cUPC certification standards—saving water while delivering strong flushing performance.
- **Rimless Bowl Design for Enhanced Hygiene**
The rimless design prevents dirt build-up and ensures thorough rinsing with every flush, reducing bacteria growth and improving overall hygiene.
- **Skirted Trapway for Easy Cleaning**
The fully skirted design conceals the trapway, giving the toilet a sleek, modern look and making the exterior easier to clean.
- **Compact Elongated Bowl for Comfort and Room Saving**
The compact elongated seat is space saving and offers comfort to the users.
- **Standard 12" Rough-In Compatibility**
Designed with a 12" rough-in, suitable for most residential and commercial bathroom installations in the U.S. market.
- **Soft-Close Thermoplastic Seat Included**
Comes with a quiet-close thermoplastic seat to prevent slamming, reduce noise, and increase durability during everyday use.
- **High-Quality Glazed Vitreous China**
Made of premium glazed ceramic, featuring a smooth, stain-resistant surface that ensures long-lasting durability and a polished appearance.

INCLUDED COMPONENTS (For references, final list may vary according to SKU number)

Standard Package Includes:

- One-piece vitreous china toilet
- Thermoplastic or PP soft-close toilet seat
- Seat mounting hardware kit
- Flush system set (fill valve + 3" flush valve)
- Chrome-plated flush button
- Floor mounting bolt kit
- Wax ring seal
- Decorative bolt caps (2 pcs)
- Installation manual (English)

Water supply line and angle stop valve are not included and must be purchased separately.